



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

OREGON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
022315

WELL TYPE
Private Well

DRILL DATE: 1963/07/16

TOWNSHIP RANGE SECTION

ELEVATION: 765FT

DRILL DEPTH: 95FT

21N 3W 3

UTM X UTM Y
653,582.21 4,040,874.52
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI W OF MYRTEL ON HWY V

S.W.L. (AFTER CASING): 45

LOG ID:
011776

WELL TYPE
Private Well

DRILL DATE: 1951//

TOWNSHIP RANGE SECTION

ELEVATION: 639FT

DRILL DEPTH: 140FT

21N 5W 4

UTM X UTM Y
632,450.11 4,041,380.56
ZONE 15

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

REMARKS: 2 MI E OF THAYER

S.W.L. (AFTER CASING):

LOG ID:
012386

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 584FT

DRILL DEPTH: 107FT

21N 5W 4

UTM X UTM Y
632,350.11 4,040,840.56
ZONE 15

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

REMARKS: ON CITY BLOCK 0.5 MI S OF THAYER

S.W.L. (AFTER CASING):

LOG ID:
012388

WELL TYPE
Private Well

DRILL DATE: 1953//

TOWNSHIP RANGE SECTION

ELEVATION: 576FT

DRILL DEPTH: 200FT

21N 5W 4

UTM X UTM Y
632,250.11 4,040,732.56
ZONE 15

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

REMARKS: 1 MI S OF THAYER

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025469**WELL TYPE

Private Well

DRILL DATE: 1968/03/01TOWNSHIP RANGE SECTION

21N

5W

4

ELEVATION: 615FTDRILL DEPTH: 160FTUTM X UTM YDEPTH TO BED: 60FT632,650.11 4,040,840.56
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.3 MI DUE N OF ARK-MO LINE IN SHELBYS.W.L. (AFTER CASING):**LOG ID:****011443**WELL TYPE

Private Well

DRILL DATE: 1950/08/TOWNSHIP RANGE SECTION

21N

5W

5

ELEVATION: 581FTDRILL DEPTH: 120FTUTM X UTM YDEPTH TO BED: 20FT631,494.11 4,040,568.56
ZONE 15S.W.L. (BEFORE CASING):REMARKS: JUST N OF MAMMOTH SPRINGS, 4 BLKS FROM STATE LINE ON
MO SIDES.W.L. (AFTER CASING):**LOG ID:****016025**WELL TYPE

Private Well

DRILL DATE: 1957/04/10TOWNSHIP RANGE SECTION

21N

5W

5

ELEVATION: 579FTDRILL DEPTH: 85FTUTM X UTM YDEPTH TO BED: 10FT630,594.11 4,041,637.58
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 20**LOG ID:****010861**WELL TYPE

Private Well

DRILL DATE: 1949/05/TOWNSHIP RANGE SECTION

21N

5W

6

ELEVATION: 666FTDRILL DEPTH: 110FTUTM X UTM YDEPTH TO BED: 30FT630,070.11 4,041,599.58
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011126**WELL TYPE

Private Well

DRILL DATE: 1949//TOWNSHIPRANGESECTIONELEVATION:

543FT

DRILL DEPTH: 60FT

21N

5W

6

DEPTH TO BED: 10FTUTM XUTM Y

629,940.10

4,040,307.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI W OF MAMMOTH SPRINGSS.W.L. (AFTER CASING):**LOG ID:****025707**WELL TYPE

Private Well

DRILL DATE: 1968/06/TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH: 45FT

21N

5W

6

DEPTH TO BED: 15FTUTM XUTM Y

629,940.10

4,040,517.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: N EDGE OF MAMMOTH SPRG, ARK, JUST N OF ARK-MO STATE
LINES.W.L. (AFTER CASING):**LOG ID:****012266**WELL TYPE

Private Well

DRILL DATE: 1953//TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 155FT

21N

6W

4

DEPTH TO BED:UTM XUTM Y

623,048.10

4,041,172.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****011444**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH: 150FT

21N

6W

5

DEPTH TO BED: 10FTUTM XUTM Y

621,357.09

4,041,106.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013409**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
		22N	2W	10		
<u>DRILL DEPTH:</u>	82FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				663,604.22	4,049,866.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"CAN'T FIND", ELEVATION QUESTIONABLE			
<u>S.W.L. (AFTER CASING):</u>	24					

LOG ID:**026807**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
		22N	2W	13		
<u>DRILL DEPTH:</u>	280FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				667,457.24	4,047,482.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	100 YDS W OF RIPLEY-ORIGON CO LINE ON HWY 142			
<u>S.W.L. (AFTER CASING):</u>	135					

LOG ID:**025709**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1968/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	548FT
		22N	3W	14		
<u>DRILL DEPTH:</u>	107FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				655,265.21	4,047,261.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**021496**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	649FT
		22N	3W	17		
<u>DRILL DEPTH:</u>	210FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				650,498.19	4,048,142.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.5 MI E OF GARFIELD STORE ON HWY E			
<u>S.W.L. (AFTER CASING):</u>	80					



(Click on Well Log ID to Access Image of Well Strip Log)

Private Well

708FT

18

UTM Y

648,755.19 4,047,932.55
ZONE 15

REMARKS: NO DATA; 2.5 MI SW OF MYRTLE SCHOOL; " CAN'T LOCATE"

S.W.L. (AFTER CASING):

Noncommunity Public Well

780FT

20

UTM Y

651,314.20 4,045,226.53
ZONE 15

REMARKS:

S.W.L. (AFTER CASING):

Noncommunity Public Well

772FT

20

UTM Y

651,314.20 4,045,226.53
ZONE 15

REMARKS:

S.W.L. (AFTER CASING): 230

Noncommunity Public Well

692FT

20

UTM Y

651,114.20 4,046,274.54
ZONE 15

REMARKS:

S.W.L. (AFTER CASING): 105



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010293**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	646FT
<u>DRILL DEPTH:</u>	156FT	22N	3W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				651,322.20	4,043,535.53
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI FROM COUCH SCHOOL			
<u>S.W.L. (AFTER CASING):</u>	76					

LOG ID:**010544**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	646FT
<u>DRILL DEPTH:</u>	256FT	22N	3W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	170FT				652,969.21	4,041,820.52
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 MI W OF MYRTLE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022314**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/07/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	656FT
<u>DRILL DEPTH:</u>	145FT	22N	4W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				646,169.18	4,051,930.57
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	28					

LOG ID:**012387**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	840FT
<u>DRILL DEPTH:</u>	220FT	22N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				640,932.15	4,041,866.54
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	6 MI E OF THAYER			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025702**WELL TYPE

Private Well

DRILL DATE: 1968/07/TOWNSHIPRANGESECTIONELEVATION:

711FT

DRILL DEPTH: 160FT

22N

5W

17

DEPTH TO BED: 15FTUTM XUTM Y

632,222.12

4,047,610.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI N OF THAYER ON HWY 19S.W.L. (AFTER CASING):**LOG ID:****009305**WELL TYPE

Private Well

DRILL DATE: 1946/06/TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH: 305FT

22N

5W

18

DEPTH TO BED: 85FTUTM XUTM Y

629,671.12

4,047,361.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: THAYERS.W.L. (AFTER CASING):**LOG ID:****024529**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/09/10TOWNSHIPRANGESECTIONELEVATION:

718FT

DRILL DEPTH: 245FT

22N

5W

18

DEPTH TO BED: 25FTUTM XUTM Y

629,271.12

4,047,645.63

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MAINTAINANCE SHED AT THAYERS.W.L. (AFTER CASING): 135**LOG ID:****004207**WELL TYPE

Private Well

DRILL DATE: 1937/02/TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 75FT

22N

5W

19

DEPTH TO BED: 15FTUTM XUTM Y

629,480.12

4,045,748.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI DUE N OF THAYERS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011129

WELL TYPE
Private Well

DRILL DATE: 1949/10/ TOWNSHIP 22N RANGE 5W SECTION 19 ELEVATION: 676FT
DRILL DEPTH: 110FT
DEPTH TO BED: 15FT UTM X 628,880.11 UTM Y 4,045,476.62
S.W.L. (BEFORE CASING): REMARKS: 4 MI NE OF THAYER
S.W.L. (AFTER CASING): ZONE 15

LOG ID:
025496

WELL TYPE
Private Well

DRILL DATE: 1968/02/26 TOWNSHIP 22N RANGE 5W SECTION 19 ELEVATION: 694FT
DRILL DEPTH: 180FT
DEPTH TO BED: 35FT UTM X 629,680.12 UTM Y 4,045,748.61
S.W.L. (BEFORE CASING): FT REMARKS: ON OLD HWY 63 2 MI S OF THAYER
S.W.L. (AFTER CASING): 100 ZONE 15

LOG ID:
028229

WELL TYPE
Private Well

DRILL DATE: 1978/11/02 TOWNSHIP 22N RANGE 5W SECTION 19 ELEVATION: 715FT
DRILL DEPTH: 565FT
DEPTH TO BED: 5FT UTM X 629,580.12 UTM Y 4,045,884.62
S.W.L. (BEFORE CASING): REMARKS: NO LITHOLOGIES, TOPS ONLY.
S.W.L. (AFTER CASING): ZONE 15

LOG ID:
005287

WELL TYPE
Community Public Well

DRILL DATE: 1939/03/16 TOWNSHIP 22N RANGE 5W SECTION 30 ELEVATION:
DRILL DEPTH: 73FT
DEPTH TO BED: 15FT UTM X 629,569.11 UTM Y 4,044,261.60
S.W.L. (BEFORE CASING): REMARKS: HOLE ABANDONED @ 73'
S.W.L. (AFTER CASING): ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005380**WELL TYPE

Community Public Well

DRILL DATE: 1939/04/ TOWNSHIP 22N RANGE 5W SECTION 30 ELEVATION: 544FT
DRILL DEPTH: 302FT UTM X 630,269.11 UTM Y 4,043,570.59
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 7

LOG ID:**012268**WELL TYPE

Private Well

DRILL DATE: 1953// TOWNSHIP 22N RANGE 5W SECTION 30 ELEVATION: 614FT
DRILL DEPTH: 132FT UTM X 629,469.11 UTM Y 4,044,400.61
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: W CITY LIMITS OF THAYER
S.W.L. (AFTER CASING):

LOG ID:**025070**WELL TYPE

Community Public Well

DRILL DATE: 1967// TOWNSHIP 22N RANGE 5W SECTION 30 ELEVATION: 651FT
DRILL DEPTH: 1,420FT UTM X 629,920.11 UTM Y 4,043,660.60
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): 85 FT REMARKS: "WATER CONTAINS 'GAS' IN SOLUTION CAUSING PROBLEMS IN
S.W.L. (AFTER CASING): 115 FT DISTRIB. SYSTEM"

LOG ID:**009221**WELL TYPE

Community Public Well

DRILL DATE: 1945/10/22 TOWNSHIP 22N RANGE 5W SECTION 31 ELEVATION: 698FT
DRILL DEPTH: 535FT UTM X 629,812.11 UTM Y 4,043,085.59
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027694**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974/11/06TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 460FT

22N

5W

31

DEPTH TO BED: 60FTUTM XUTM Y

630,070.11

4,042,999.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO DATAS.W.L. (AFTER CASING):**LOG ID:****025641**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/06/03TOWNSHIPRANGESECTIONELEVATION:

619FT

DRILL DEPTH: 155FT

22N

5W

32

DEPTH TO BED: 15FTUTM XUTM Y

630,976.11

4,042,089.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.25 MI S OF THAYER CITY LIMITS ON HWY 63; NO PRODUCTION OR CONSTR.S.W.L. (AFTER CASING):**LOG ID:****025676**WELL TYPE

Outcrop Description

DRILL DATE: 1968/08/14TOWNSHIPRANGESECTIONELEVATION:

535FT

DRILL DEPTH: 130FT

22N

5W

32

DEPTH TO BED:UTM XUTM Y

631,076.11

4,042,619.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RR & HIGHWAY ROADCUTS AT THAYERS.W.L. (AFTER CASING):**LOG ID:****026656**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

596FT

DRILL DEPTH: 200FT

22N

5W

32

DEPTH TO BED: 20FTUTM XUTM Y

630,776.11

4,041,877.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S OF THAYER ON OLD HWY 63; NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012262**WELL TYPE

Private Well

DRILL DATE: 1952// TOWNSHIP 22N RANGE 5W SECTION 33 ELEVATION: 680FT
DRILL DEPTH: 320FT UTM X 633,435.11 UTM Y 4,042,934.57
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3 MI E OF THAYER
S.W.L. (AFTER CASING):

LOG ID:**025394**WELL TYPE

Private Well

DRILL DATE: 1968/01/20 TOWNSHIP 22N RANGE 5W SECTION 34 ELEVATION: 678FT
DRILL DEPTH: 160FT UTM X 634,672.12 UTM Y 4,042,513.56
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LOST BIT AT 115'; HOLE ABANDONED; 2.5 MI E OF THAYER ON
S.W.L. (AFTER CASING): HWY 142

LOG ID:**025423**WELL TYPE

Private Well

DRILL DATE: 1968/02/14 TOWNSHIP 22N RANGE 5W SECTION 36 ELEVATION: 751FT
DRILL DEPTH: 295FT UTM X 637,731.13 UTM Y 4,041,845.55
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Sam Hilton - 3 MI E OF THAYER
S.W.L. (AFTER CASING): 45

LOG ID:**025343**WELL TYPE

Private Well

DRILL DATE: 1967/12/23 TOWNSHIP 22N RANGE 5W SECTION 7 ELEVATION:
DRILL DEPTH: 144FT UTM X 629,582.12 UTM Y 4,049,156.64
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HWY OO 0.75 MI N OF JCT W/ HWY 63, 3 MI N OF THAYER
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025608**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

842FT

DRILL DEPTH:

160FT

22N

6W

12

DEPTH TO BED:UTM XUTM Y

627,210.12

4,048,682.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3.5 MI N OF THAYERS.W.L. (AFTER CASING):**LOG ID:****011778**WELL TYPE

Private Well

DRILL DATE:

1951//

TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH:

188FT

22N

6W

13

DEPTH TO BED:

70FT

UTM XUTM Y

628,018.12

4,048,034.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4.5 MI N OF THAYER ON HWY 63S.W.L. (AFTER CASING):**LOG ID:****021933**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH:

185FT

22N

6W

13

DEPTH TO BED:

45FT

UTM XUTM Y

627,818.12

4,048,034.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI N OF THAYER ON HWY 63S.W.L. (AFTER CASING):**LOG ID:****011124**WELL TYPE

Private Well

DRILL DATE:

1949/10/

TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH:

200FT

22N

6W

17

DEPTH TO BED:

35FT

UTM XUTM Y

621,494.11

4,048,143.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI SW OF KOSHKONONGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010862**WELL TYPE

Private Well

DRILL DATE: 1949/08/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 150FT

22N

6W

18

DEPTH TO BED:UTM XUTM Y

619,641.10

4,047,136.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI W OF THAYER; MAY BE IN R5W.S.W.L. (AFTER CASING):**LOG ID:****011446**WELL TYPE

Private Well

DRILL DATE: 1950/07/TOWNSHIPRANGESECTIONELEVATION:

838FT

DRILL DEPTH: 150FT

22N

6W

19

DEPTH TO BED: 20FTUTM XUTM Y

619,364.10

4,045,242.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 10 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****010545**WELL TYPE

Private Well

DRILL DATE: 1948/10/TOWNSHIPRANGESECTIONELEVATION:

842FT

DRILL DEPTH: 100FT

22N

6W

2

DEPTH TO BED: 10FTUTM XUTM Y

626,750.12

4,049,937.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5.5 MI NE OF THAYERS.W.L. (AFTER CASING):**LOG ID:****025578**WELL TYPE

Private Well

DRILL DATE: 1963/03/27TOWNSHIPRANGESECTIONELEVATION:

703FT

DRILL DEPTH: 180FT

22N

6W

2

DEPTH TO BED: 25FTUTM XUTM Y

626,450.12

4,051,009.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3.35 MI E OF KOSHKONONGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011128**WELL TYPE

Private Well

DRILL DATE: 1949/10/TOWNSHIPRANGESECTIONELEVATION:

656FT

DRILL DEPTH: 100FT

22N

6W

25

DEPTH TO BED: 10FTUTM XUTM Y

628,423.11

4,044,837.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****011774**WELL TYPE

Private Well

DRILL DATE: 1951//TOWNSHIPRANGESECTIONELEVATION:

767FT

DRILL DEPTH: 155FT

22N

6W

25

DEPTH TO BED: 20FTUTM XUTM Y

627,023.11

4,044,055.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****012022**WELL TYPE

Private Well

DRILL DATE: 1952//TOWNSHIPRANGESECTIONELEVATION:

763FT

DRILL DEPTH: 185FT

22N

6W

26

DEPTH TO BED: 10FTUTM XUTM Y

626,842.11

4,044,124.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****010863**WELL TYPE

Private Well

DRILL DATE: 1949/05/TOWNSHIPRANGESECTIONELEVATION:

731FT

DRILL DEPTH: 210FT

22N

6W

29

DEPTH TO BED: 20FTUTM XUTM Y

621,997.10

4,044,200.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI W OF THAYERS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011445**WELL TYPE

Private Well

DRILL DATE: 1950/08/TOWNSHIPRANGESECTIONELEVATION:

818FT

DRILL DEPTH: 150FT

22N

6W

30

DEPTH TO BED: 40FTUTM XUTM Y

619,977.10

4,044,211.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 8 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****011779**WELL TYPE

Private Well

DRILL DATE: 1951//TOWNSHIPRANGESECTIONELEVATION:

814FT

DRILL DEPTH: 240FT

22N

6W

36

DEPTH TO BED: 10FTUTM XUTM Y

627,215.10

4,041,864.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI W OF THAYERS.W.L. (AFTER CASING):**LOG ID:****009673**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1947/07/16TOWNSHIPRANGESECTIONELEVATION:

969FT

DRILL DEPTH: 635FT

22N

6W

5

DEPTH TO BED: 45FTUTM XUTM Y

621,174.12

4,050,815.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; AT KOSHKONONGS.W.L. (AFTER CASING): 168**LOG ID:****011930**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1951//TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 411FT

22N

6W

5

DEPTH TO BED: 25FTUTM XUTM Y

621,057.12

4,051,484.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 63S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018735

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1960/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	978FT
<u>DRILL DEPTH:</u>	650FT	22N	6W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				621,074.12	4,051,087.71
<u>S.W.L. (BEFORE CASING):</u>	125	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	177	FT				

REMARKS:

LOG ID:
018952

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	989FT
<u>DRILL DEPTH:</u>	1,470FT	22N	6W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				621,074.12	4,051,635.72
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	305					

REMARKS: 0.25 MI N OF KOSHKONONG SCHOOL BLDG.

LOG ID:
026912

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1970/08/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	220FT	23N	2W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				660,603.20	4,056,832.52
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130					

REMARKS:

LOG ID:
004815

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	624FT
<u>DRILL DEPTH:</u>	330FT	23N	2W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	194FT				660,595.21	4,054,395.52
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027861**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

842FT

DRILL DEPTH:

245FT

23N

3W

8

UTM XUTM YDEPTH TO BED:

100FT

651,003.19

4,058,974.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

100-245 "LOOKS LIKE SAME SAMPLE TOP TO BOTTOM!"

S.W.L. (AFTER CASING):**LOG ID:****028201**WELL TYPE

Private Well

DRILL DATE:

1978/12/

TOWNSHIPRANGESECTIONELEVATION:

767FT

DRILL DEPTH:

350FT

23N

3W

9

UTM XUTM YDEPTH TO BED:

50FT

652,559.19

4,059,820.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"BROKEN GROUND THROUGHOUT MOST OF HOLE"

S.W.L. (AFTER CASING):

100

LOG ID:**015351**WELL TYPE

Private Well

DRILL DATE:

1956/08/01

TOWNSHIPRANGESECTIONELEVATION:

714FT

DRILL DEPTH:

175FT

23N

4W

12

UTM XUTM YDEPTH TO BED:

30FT

646,438.18

4,058,931.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF ALTON & 0.75 MI E OF HINING

S.W.L. (AFTER CASING):

160

LOG ID:**015350**WELL TYPE

Private Well

DRILL DATE:

1956/08/01

TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH:

200FT

23N

4W

14

UTM XUTM YDEPTH TO BED:

105FT

645,986.18

4,058,378.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"BIG FLOW";

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018436**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/07/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	785FT
<u>DRILL DEPTH:</u>	100FT	23N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				639,877.16	4,053,084.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3 MI W OF COUCH			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**013148**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/11/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	703FT
<u>DRILL DEPTH:</u>	135FT	23N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				644,318.17	4,053,101.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	6 MI S OF ALTON			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**022037**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	675FT
<u>DRILL DEPTH:</u>	130FT	23N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				644,518.17	4,052,471.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	IN COUCH			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018899**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	630FT
<u>DRILL DEPTH:</u>	190FT	23N	4W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				647,035.18	4,052,061.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	8 MI S OF ALTON			
<u>S.W.L. (AFTER CASING):</u>	40					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011777**WELL TYPE

Private Well

DRILL DATE: 1951// TOWNSHIP 23N RANGE 4W SECTION 8 ELEVATION: 939FT
DRILL DEPTH: 160FT UTM X 639,977.17 UTM Y 4,058,933.64
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4.5 MI FROM ALTON
S.W.L. (AFTER CASING):

LOG ID:**015681**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956// TOWNSHIP 23N RANGE 5W SECTION 22 ELEVATION: 845FT
DRILL DEPTH: 160FT UTM X 633,128.15 UTM Y 4,056,272.67
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "HOLE MINED OUT; ELEV ESTIMATED. MINE ABDN."
S.W.L. (AFTER CASING):

LOG ID:**025042**WELL TYPE

Private Well

DRILL DATE: 1967/01/27 TOWNSHIP 23N RANGE 5W SECTION 29 ELEVATION: 788FT
DRILL DEPTH: 170FT UTM X 630,006.14 UTM Y 4,054,231.68
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI N-NW OF HWY OO BETWEEN THAYER & KOSKONONG
S.W.L. (AFTER CASING): 80

LOG ID:**011125**WELL TYPE

Private Well

DRILL DATE: 1949/10/ TOWNSHIP 23N RANGE 5W SECTION 31 ELEVATION: 660FT
DRILL DEPTH: 110FT UTM X 629,348.13 UTM Y 4,053,255.67
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 3 MI NW OF THAYER
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014279**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

892FT

DRILL DEPTH:

955FT

23N

6W

1

DEPTH TO BED:

430FT

UTM XUTM Y

626,512.15

4,061,541.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES 0-430'; BALL MINE; "W/2 LOT 2 NW/4 SEC 1"S.W.L. (AFTER CASING):**LOG ID:****015455**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1956/11/

TOWNSHIPRANGESECTIONELEVATION:

952FT

DRILL DEPTH:

1,125FT

23N

6W

2

DEPTH TO BED:

160FT

UTM XUTM Y

625,465.15

4,061,337.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: JUNIOR JUDD MINES.W.L. (AFTER CASING):**LOG ID:****003358**WELL TYPE

Private Well

DRILL DATE:

1935/05/16

TOWNSHIPRANGESECTIONELEVATION:

774FT

DRILL DEPTH:

800FT

24N

2W

23

DEPTH TO BED:

35FT

UTM XUTM Y

665,770.17

4,065,422.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: BARDLYS.W.L. (AFTER CASING): 175**LOG ID:****012026**WELL TYPE

Private Well

DRILL DATE:

1952/07/02

TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH:

215FT

24N

2W

3

DEPTH TO BED:

165FT

UTM XUTM Y

663,253.18

4,071,122.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2.5 MI FROM WILDERNESS POS.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019456**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	985FT
<u>DRILL DEPTH:</u>	455FT	24N	3W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	240FT				649,374.19	4,064,403.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL (#19456) DEEPENED 365-455' (see also #21869)				
<u>S.W.L. (AFTER CASING):</u>	205					

LOG ID:**023850**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/09/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	918FT
<u>DRILL DEPTH:</u>	165FT	24N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				642,597.18	4,066,598.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 3 MI N OF ALTON, 1 MI W OF HWY 160				
<u>S.W.L. (AFTER CASING):</u>	93					

LOG ID:**026054**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	859FT
<u>DRILL DEPTH:</u>	285FT	24N	4W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				645,246.20	4,070,201.65
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 5 MI N OF ALTON ON HWY 19				
<u>S.W.L. (AFTER CASING):</u>	170					

LOG ID:**028276**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	956FT
<u>DRILL DEPTH:</u>	370FT	24N	4W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	245FT				647,252.18	4,064,179.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028317

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 919FT
24N 4W 25
DRILL DEPTH: 455FT
DEPTH TO BED: 155FT UTM X UTM Y
647,152.18 4,064,077.61
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
021869

WELL TYPE
Private Well

DRILL DATE: 1960// TOWNSHIP RANGE SECTION ELEVATION: 985FT
24N 4W 30
DRILL DEPTH: 455FT UTM X UTM Y
DEPTH TO BED: 639,447.17 4,064,431.67
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#19456) DEEPENED 365-455' (see also #21869)
S.W.L. (AFTER CASING): 205

LOG ID:
009777

WELL TYPE
Community Public Well

DRILL DATE: 1947/12/ TOWNSHIP RANGE SECTION ELEVATION: 865FT
24N 4W 33
DRILL DEPTH: 1,370FT UTM X UTM Y
DEPTH TO BED: 50FT 642,247.18 4,062,157.64
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#9777) DEEPENED 975-1370 (#10071) 1963; ALSO
S.W.L. (AFTER CASING): 176 (#21932)

LOG ID:
010071

WELL TYPE
Community Public Well

DRILL DATE: 1947/12/ TOWNSHIP RANGE SECTION ELEVATION: 886FT
24N 4W 33
DRILL DEPTH: 1,370FT UTM X UTM Y
DEPTH TO BED: 642,210.18 4,062,148.64
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#9777) DEEPENED 975-1370 (#10071) 1963; ALSO
S.W.L. (AFTER CASING): (#21932)



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021932**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1947/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	886FT
<u>DRILL DEPTH:</u>	1,370FT	24N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					642,210.18	4,062,148.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL (#9777) DEEPENED 975-1370 (#10071) 1963; ALSO			
<u>S.W.L. (AFTER CASING):</u>			(#21932)			

LOG ID:**028014**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1978//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	809FT
<u>DRILL DEPTH:</u>	1,315FT	24N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				642,475.18	4,062,521.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013989**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1955/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	748FT
<u>DRILL DEPTH:</u>	1,200FT	24N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					643,318.18	4,062,252.63
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SEE LOG #14305			
<u>S.W.L. (AFTER CASING):</u>	124					

LOG ID:**014305**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1955/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	748FT
<u>DRILL DEPTH:</u>	1,200FT	24N	4W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				643,288.18	4,062,090.63
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL (see also #13989) DEEPENED 1125-1200' (#14305)			
<u>S.W.L. (AFTER CASING):</u>	124					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012352**WELL TYPE

Outcrop Description

DRILL DATE: 1953// TOWNSHIP 24N RANGE 5W SECTION 8 ELEVATION: 682FT
DRILL DEPTH: 120FT UTM X 630,726.18 UTM Y 4,068,858.78
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**014329**WELL TYPE

Private Well

DRILL DATE: 1956// TOWNSHIP 24N RANGE 6W SECTION 4 ELEVATION: 957FT
DRILL DEPTH: 88FT UTM X 622,703.18 UTM Y 4,071,078.85
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG SECTION
S.W.L. (AFTER CASING): 78

LOG ID:**013839**WELL TYPE

Private Well

DRILL DATE: 1955/07/22 TOWNSHIP 24N RANGE 6W SECTION 6 ELEVATION: 989FT
DRILL DEPTH: 200FT UTM X 619,053.17 UTM Y 4,070,792.87
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 163

LOG ID:**022860**WELL TYPE

Private Well

DRILL DATE: 1964/03/07 TOWNSHIP 24N RANGE 6W SECTION 6 ELEVATION: 1,003FT
DRILL DEPTH: 202FT UTM X 619,253.16 UTM Y 4,069,838.87
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG SECTION
S.W.L. (AFTER CASING): 117

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012025

WELL TYPE
Private Well

DRILL DATE: 1952/07/02

TOWNSHIP RANGE SECTION
25N 2W 21

ELEVATION: 923FT

DRILL DEPTH: 300FT

UTM X UTM Y

DEPTH TO BED: 25FT

662,877.21 4,075,675.53
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WILDERNESS ROAD OFF JCT W HWY J

S.W.L. (AFTER CASING):

LOG ID:
028395

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1980/09/08

TOWNSHIP RANGE SECTION
25N 3W 2

ELEVATION: 950FT

DRILL DEPTH: 1,200FT

UTM X UTM Y

DEPTH TO BED: 330FT

655,552.27 4,081,441.57
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TD - 2257'

S.W.L. (AFTER CASING):

LOG ID:
028293

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1979/05/09

TOWNSHIP RANGE SECTION
25N 3W 31

ELEVATION: 610FT

DRILL DEPTH: 330FT

UTM X UTM Y

DEPTH TO BED: 55FT

649,337.22 4,073,461.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 20' N OF WELL #1 (#28254)

S.W.L. (AFTER CASING):

LOG ID:
028069

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION
25N 3W 4

ELEVATION: 623FT

DRILL DEPTH: 1,000FT

UTM X UTM Y

DEPTH TO BED: 70FT

652,805.27 4,080,545.60
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 10-FT SAMPLES; NOT SURE OF TD

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020668**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	609FT
<u>DRILL DEPTH:</u>	250FT	25N	4W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				646,858.24	4,076,322.65
<u>S.W.L. (BEFORE CASING):</u>	10	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	6	FT				

REMARKS: 12 MI FROM WINONA

LOG ID:**020840**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	619FT
<u>DRILL DEPTH:</u>	163FT	25N	4W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				647,067.24	4,076,465.65
<u>S.W.L. (BEFORE CASING):</u>	14	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	4	FT				

REMARKS: US FOREST SERVICE

LOG ID:**028254**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1979/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	551FT
<u>DRILL DEPTH:</u>	390FT	25N	4W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				647,817.22	4,073,016.63
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: ABANDONED

LOG ID:**027247**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1972/12/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	370FT	25N	5W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				631,372.25	4,078,147.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 3 MI N OF THOMASVILLE ON HWY 99



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023376

WELL TYPE
Private Well

DRILL DATE: 1964// TOWNSHIP 25N RANGE 5W SECTION 32 ELEVATION: 653FT
DRILL DEPTH: 145FT UTM X 631,561.21 UTM Y 4,072,692.79
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
017127

WELL TYPE
Private Well

DRILL DATE: 1958/04/15 TOWNSHIP 25N RANGE 6W SECTION 1 ELEVATION: 992FT
DRILL DEPTH: 419FT UTM X 628,358.26 UTM Y 4,080,876.86
DEPTH TO BED: 340FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
002948

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1934/09/ TOWNSHIP 25N RANGE 6W SECTION 6 ELEVATION: 963FT
DRILL DEPTH: 414FT UTM X 620,093.24 UTM Y 4,081,213.91
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: WINONA
S.W.L. (AFTER CASING): 190

LOG ID:
025689

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 25N RANGE 6W SECTION 7 ELEVATION: 720FT
DRILL DEPTH: 3,000FT UTM X 620,262.22 UTM Y 4,079,270.90
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: PEACE VALLEY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026580**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

883FT

DRILL DEPTH:

3,008FT

25N

6W

7

UTM XUTM YDEPTH TO BED:

170FT

619,862.22

4,079,270.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

PEACE VALLEY PROJECT

S.W.L. (AFTER CASING):**LOG ID:****026610**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1970//

TOWNSHIPRANGESECTIONELEVATION:

778FT

DRILL DEPTH:

3,000FT

25N

6W

7

UTM XUTM YDEPTH TO BED:

975FT

619,762.23

4,079,930.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

PEACE VALLEY PROJECT

S.W.L. (AFTER CASING):**LOG ID:****028401**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1980/09/15

TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

1,170FT

26N

4W

35

UTM XUTM YDEPTH TO BED:

330FT

646,604.29

4,083,165.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

TOPS QUESTIONABLE, USE WITH CAUTION; CUTTINGS ONLY

S.W.L. (AFTER CASING):

OREGON